

Bibliography

- [1] *Scientific American, The Solid State Century, Special Issue*, 1998.
- [2] C. A. Mack. Trends in optical lithography. *Opt. and Phot. News*, 7(4):29–33, 1996.
- [3] M. Born and E. Wolf. *Principle of Optics*. Pergamon Press, 1980.
- [4] B. J. Lin. The optimum numerical aperture for optical projection microlithography. In V. Pol, editor, *Laser Microlithography IV*, volume 1463 of *SPIE Preceedings*, pages 42–53, 1991.
- [5] T. M. Bloomstein, M. W. Horn, M. Rothschild, R. R. Kunz, S. T. Palmacci, and R. B. Goodman. Lithography with 157 nm lasers. *J. Vac. Sci. Technol. B*, 15(6):2112–2116, 1997.
- [6] M. Rothschild, R. B. Goodman, M. A. Hartney, M. W. Horn, R. R. Kunz, J. H. C. Sedlacek, and D. C. Shaver. Photolithography at 193 nm. *J. Vac. Sci. Technol. B*, 10(6):2889–2995, 1992.
- [7] M. Rothschild, A. R. Forte, M. W. Horn, R. R. Kunz, S. C. Palmateer, and J. C. Sedlacek. 193-nm lithography. *IEEE J. Selected Topics in Quantum Electronics*, 1(3):916–923, 1995.
- [8] T. P. Duffey, T. Embree, T. Ishihara, R. Morton, W. N. Partlo, T. Watson, and R. Sandstrom. ArF lasers for production of semiconductor devices with CD_{0.15}μm. In Luc Van den hove, editor, *Optical Microlithography XI*, volume 3334 of *SPIE Preceedings*, pages 1014–1020, 1998.
- [9] R. Schenker and W. Oldham. Effects of compaction on 193 nm lithographic system performance. *J. Vac. Sci. Technol. B*, 14(6):3709–3713, 1996.
- [10] K. H. Brown. SEMATECH and the national technology roadmap: needs and challenges. In T. A. Brunner, editor, *Optical and Laser Microlithography VIII*, volume 2440 of *SPIE Preceedings*, pages 33–37, 1995.

- [11] M. Chan, R. R. Kunz, S. P. Doran, and M. Rothschild. Photolithography at 0.10 and 0.13 μm using ArF excimer laser lithography in combination with resolution enhancement techniques. *J. Vac. Sci. Technol. B*, 15(6):2404–2411, 1997.
- [12] M. Hibbs and R. Kunz. The 193-nm full-field step-and -scan prototype at MIT Lincoln Laboratory. In T. A. Brunner, editor, *Optical and Laser Microlithography VIII*, volume 2440 of *SPIE Preceedings*, pages 40–48, 1995.
- [13] S. H. Zaidi and S. R. J. Brueck. Multiple-exposure interferometric lithography. *J. Vac. Sci. Technol. B*, 11(3):658–666, 1993.
- [14] M. Neisser and A. Molless. Simulation and experimental evaluation of double exposure techniques. In Luc Van den hove, editor, *Optical Microlithography XI*, volume 3334 of *SPIE Preceedings*, pages 372–383, 1998.
- [15] D. M. Newmark, E. Tomacruz, S. Vaidya, and A. R. Neureuther. Investigation of proximity effects for aa rim phase-shifting mask printed with annular illumination. In T. A. Brunner, editor, *Optical and Laser Microlithography VII*, volume 2197 of *SPIE Preceedings*, pages 337–347, 1994.
- [16] K. Kamon, W. Wakamiya, and H. Nagata. Optical proximity correction for super resolution technique. In H. Yoshihara, editor, *Photomask and X-Ray Mask Technology II*, volume 2512 of *SPIE Preceedings*, pages 491–502, 1995.
- [17] W. S. Han, C. J. Sohn, Y. B. Kim, K. H. Kim, H. Y. Kang, Y. B. Koh, and M. Y. Lee. Optical proximity correction using a transmittance controlled mask (TCM). In T. A. Brunner, editor, *Optical Microlithography VIII*, volume 2440 of *SPIE Preceedings*, pages 494–505, 1995.
- [18] B. J. Lin. Partially coherent imaging in two dimensions and theoretical limits of projection printing in microfabrication. *IEEE Transaction of Electron Devices*, ED-27:931–938, 1980.
- [19] G. P. Watson, R. A. Cirelli, M. Mkrtchyan, and R. J. Travers. Characterizing partial coherence uniformity in a deep ultraviolet step and repeat tool. *J. Vac. Sci. Technol. B*, 15(6):2399–2403, 1997.
- [20] B. W. Smith. Revalidation of the Rayleigh resolution and DOF limits. In Luc Van den hove, editor, *Optical Microlithography XI*, volume 3334 of *SPIE Preceedings*, pages 142–153, 1998.

- [21] K. Kamon, T. Miyamoto, Y. Myoi, H. Nagata, M. Tanaka, and K. Horie. Photolithography system using annular illumination. *Jpn. J. Appl. Phys.*, 30(11B):3021–3029, 1991.
- [22] E. Tamechika, S. Matsuo, K. Komatsu, Y. Takeuchi, Y. Mimura, and K. Harada. Investigation of single sideband optical lithography using oblique incidence illumination. *J. Vac. Sci. Technol. B*, 10(6):3027–3031, 1992.
- [23] T. Ogawa, M. Uematsu, F. Uesawa, M. Kimura, H. Shimizu, and T. Oda. Sub-quarter micron optical lithography with practical super resolution technique. In T. A. Brunner, editor, *Optical Microlithography VIII*, volume 2440 of *SPIE Preceedings*, pages 772–783, 1995.
- [24] H. P. Urbach and D. A. Bernald. Modeling latent-image formation in photolithography, using the Helmholtz equation. *J. Opt. Soc. Am. A*, 6(9):1343–1356, 1989.
- [25] F. Schellenberg, M. D. Levenson, and P. J. Brock. Optimization of real phase mask performance. In K C McGinnis, editor, *11th Annual BACUS Symposium on Photomask Technology*, volume 1604 of *SPIE Preceedings*, pages 274–296, 1991.
- [26] H. Watanabe and Y. Todokoro. Phase-shifting lithography: Maskmaking and its application. *J. Vac. Sci. Technol. B*, 11(6):2669–2674, 1993.
- [27] M. Levenson, N. S. Viswanathan, and R. A. Simpson. Improving resolution in photolithography with a phase-shifting mask. *IEEE Transactions on Electron Devices*, ED-29(12):1828–1836, 1982.
- [28] M. Shibuya. Japanese Patent No. Showa 62-50811 (30 Sept. 1980).
- [29] Ik-Boum Hur, Ju-Hwan Kim, Il-Ho Lee, Hung-Eil Kim, Chang-Nam Ahn, Ki-Ho Baik, and Soo-Han Choi. Effects of pattern density for contact windows in an attenuated phase shift mask. In T. A. Brunner, editor, *Optical Microlithography VIII*, volume 2440 of *SPIE Preceedings*, pages 278–289, 1995.
- [30] H. Watanabe, E. Sugiura, T. Imoriya, Y. Todokoro, and M. Inoue. Detaction and Printability of Shifter Defects in Phase-Shifting Masks II. Defocus Characteristics. *Jpn. J. Appl. Phys.*, 31:4155–4160, 1992.
- [31] H. Ohtsuka, K. Kuwahara, and T. Onodera. Evaluation of repair phase and size tolerance for a phase-shift mask. *J. Vac. Sci. Technol. B*, 11(6):2665–2668, 1993.

- [32] J. Miyazaki, A. Yamaguchi, K. Fujiwara, N. Yoshioka, H. Morimoto, and K. Thukamoto. Effect of the duty ratio of line and space in phase-shifting lithography. *J. Vac. Sci. Technol. B*, 13(1):137–141, 1995.
- [33] S. Y. Shaw, S. Palmer, and S. J. Schuda. Printability study of opaque and transparent defects using standard and modified illumination. In T. A. Brunner, editor, *Optical Microlithography VIII*, volume 2440 of *SPIE Preceedings*, pages 878–890, 1995.
- [34] M. Kido, G. Szabo, J. R. Cavallaro, W. L. Wilson, M. C. Smayling, and F. K. Tittel. Submicron optical lithography based on a new interferometric phase shifting technique. *Jpn. J. Appl. Phys.*, 34:443–47, 1995.
- [35] M. Laikin. *Lens Design*. Marcel Dekker, Inc, 1990.
- [36] D. C. Cole, E. Barouch, U. Hollerbach, and S. A. Orszag. Extending scalar aerial image calculations to higher numerical apertures. *J. Vac. Sci. Technol. B*, 10(6):3037–3041, 1992.
- [37] C. A. Mack. *Inside ProlithTM; a Comprehensive Guide to Optical Lithography Simulation*. FINLE Technologies, Inc., Austin, TX, 1997.
- [38] H. Fukuda, T. Terasawa, and S. Okazaki. Spatial filtering for depth of focus and resolution enhancement in optical lithography. *J. Vac. Sci. Technol. B*, 9(6):3113–3116, 1991.
- [39] H. Fukuda. Axial image superposing (Super-FLEX) effect using the mask modulation method for optical lithography. *Jpn. J. Appl. Phys.*, 30(11B):3037–3042, 1991.
- [40] R. von Bunau, G. Owen, and R. F. W. Pease. Depth of focus enhancement in optical lithography. *J. Vac. Sci. Technol. B*, 10(6):3047–3054, 1992.
- [41] T. Horiuchi, K. Harada, S. Matsuo, Y. Takeuchi, E. Tamechika, and Y. Mimura. Resolution enhancement by oblique illumination optical lithography using a transmittance-adjusted pupil filter. *Jpn. J. Appl. Phys.*, 34:1698–1708, 1995.
- [42] C. A. Taylor and B. J. Thompson. Attempt to investigate experimentally the intensity distribution near the focus in the error-free diffraction patterns of circular and annular apertures. *J. Opt. Soc. Am.*, 48(11):844–850, 1958.

- [43] W. T. Welford. Use of annular apertures to increase focal depth. *J. Opt. Soc. Am.*, 50(8):749–753, 1960.
- [44] E. H. Linfoot and E. Wolf. Diffraction images in systems with an annular aperture. *Proc. Phys. Soc.*, LXVI, I-B:145–149, 1952.
- [45] H. Osterberg and J. E. Wilkins Jr. The resolving power of a coated objective. *J. Opt. Soc. Am.*, 39(7):553–557, 1949.
- [46] J. E. Wilkins Jr. The resolving power of a coated objective II. *J. Opt. Soc. Am.*, 40(4):222–224, 1950.
- [47] B. J. Thompson. Diffraction by semitransparent and phase annuli. *J. Opt. Soc. Am.*, 55(2):145–149, 1965.
- [48] J. W. Y. Lit. Effects of a half-wave filter in a portion of the aperture of a perfect lens. *J. Opt. Soc. Am.*, 61(3):297–301, 1971.
- [49] J. Durnin. Exact solutions for nondiffracting beams. I. The scalar theory. *J. Opt. Soc. Am. A*, 4(4):651–654, 1987.
- [50] M. LaPointe. Review of nondiffracting Bessel beams. In R. E. Fischer and W. J. Smith, editors, *Current Developments in Optical design and optical engineering*, volume 1527 of *SPIE Preceedings*, pages 258–276, 1991.
- [51] G. Indebetouw. Nondiffracting optical fields: some remarks on their analysis and synthesis. *J. Opt. Soc. Am. A*, 6(1):150–152, 1989.
- [52] K. Uehara and H. Kikuchi. Generation of nearly diffraction-free laser beams. *Appl. Phys. B*, 48:125–129, 1989.
- [53] J. K. Jabczynski. A diffraction-free resonator. *Optics Comm.*, 77(4):292–294, 1990.
- [54] R. M. Herman and T. A. Wiggins. Production and uses of diffractionless beams. *J. Opt. Soc. Am. A*, 8(6):932–942, 1991.
- [55] Y. Lin, W. Seka, J. H. Eberly, H. Huang, and D. L. Brown. Experimental investigation of Bessel beam characteristics. *Appl. Opt.*, 31(15):2708–2713, 1992.
- [56] J. Durnin, Jr. J. J. Miceli, and J. H. Eberly. Diffraction-free beams. *Phys. Rev. Letter*, 58(15):1499–1501, 1987.

- [57] A. J. Cox and D. C. Dibble. Nondiffracting beams from a spatially filtered Fabry-Perot resonator. *J. Opt. Soc. Am. A*, 9(2):282–286, 1992.
- [58] A. J. Cox and J. D’Anna. Constant-axial-intensity nondiffracting beams. *Opt. Letters*, 17(4):232–234, 1992.
- [59] R. Arimoto, C. Saloma, T. Tanaka, and S. Kawata. Imaging properties of axicon in a scanning optical system. *Appl. Opt.*, 31(31):6653–6657, 1992.
- [60] G. Scott and N. McArdle. Efficient generation of nearly diffraction-free beams using an axicon. *Opt. Engineering*, 31(12):2640–2643, 1992.
- [61] J. Turunen, A. Vasara, and A. T. Friberg. Holographic generation of diffraction-free beams. *Appl. Opt.*, 27(19):3959–3962, 1988.
- [62] A. Vasara, J. Turunen, and A. T. Friberg. Realization of general nondiffracting beams with computer-generated holograms. *J. Opt. Soc. Am. A*, 6(11):1748–1754, 1989.
- [63] **M. Erdelyi**, Zs. Bor, J. R. Cavallaro, G. Szabo, W. L. Wilson, C. Sengupta, M. C. Smayling, and F. K. Tittel. Enhanced microlithography using combined phase shifting and off-axis illumination. *Jpn. J. Appl. Phys.*, 34(2):L1629–L1631, 1995.
- [64] Zs. Bor, J. R. Cavallaro, **M. Erdelyi**, M. Kido, C. Sengupta, M. C. Smayling, G. Szabo, F. K. Tittel, and W. L. Wilson. A new phase shifting technique for deep UV excimer laser based lithography. In R. Scheps and M. R. Kokta, editors, *UV and Visible Lasers and Laser Crystal Growth*, volume 2380 of *SPIE Preceedings*, pages 195–202, 1995.
- [65] **M. Erdelyi**, C. Sengupta, Zs. Bor, J. R. Cavallaro, , M. Kido, M. C. Smayling, F. K. Tittel, W. L. Wilson, and G. Szabo. A new interferometric phase-shifting technique for sub-half-micron laser microlithography. In T. A. Brunner, editor, *Optical Microlithography VIII*, volume 2440 of *SPIE Preceedings*, pages 827–837, 1995.
- [66] F. K. Tittel, **M. Erdelyi**, C. Sengupta, Zs. Bor, G. Szabo, J. R. Cavallaro, , M. C. Smayling, , and W. L. Wilson. Ultrahigh resolution lithography with excimer lasers. In W. J. Witteman and V. N. Ochkin, editors, *Gas Lasers - Recent Developments and Future Prospects*, volume 10 of *NATO Asi*, pages 263–272, 1995.

- [67] C. Sengupta, **M. Erdelyi**, Zs. Bor, J. R. Cavallaro, M. C. Smayling, G. Szabo, F. K. Tittel, and W. L. Wilson. An integrated CAD framework linking VLSI layout editors and process simulators. In G. E. Fuller, editor, *Optical Microlithography IX*, volume 2726 of *SPIE Preceedings*, pages 244–252, 1996.
- [68] **M. Erdelyi**, Zs. Bor, G. Szabo, J. R. Cavallaro, M. C. Smayling, F. K. Tittel, and W. L. Wilson. Sub-quarter micron contact hole fabrication using annular illumination. In G. E. Fuller, editor, *Optical Microlithography IX*, volume 2726 of *SPIE Preceedings*, pages 88–93, 1996.
- [69] **M. Erdelyi**, Zs. Bor, G. Szabo, and F. K. Tittel. Enhanced microlithography using coated objective and image duplication. In Luc van den Hove, editor, *Optical Microlithography XI*, volume 3334 of *SPIE Preceedings*, pages 579–589, 1998.
- [70] C. J. R. Sheppard and H. J. Matthews. Imaging in high-aperture optical systems. *J. Opt. Soc. Am. A*, 4(8):1354–1360, 1987.
- [71] C. J. R. Sheppard and C. J. Cogswell. Effects of aberration layers and tube length on confocal imaging properties. *Optik*, 87(1):34–38, 1991.
- [72] **M. Erdelyi**, Z. L. Horvath, G. Szabo, Zs. Bor, F. K. Tittel, J. R. Cavallaro, and M. C. Smayling. Generation of diffraction-free beams for applications in optical microlithography. *J. Vac. Sci. Technol. B*, 15(2):287–292, 1997.
- [73] Z. L. Horvath, **M. Erdelyi**, G. Szabo, Zs. Bor, F. K. Tittel, , and J. R. Cavallaro. Generation of nearly nondiffracting Bessel beams with a Fabry-Perot interferometer. *J. Opt. Soc. Am. A*, 14(11):3009–3013, 1997.
- [74] F. K. Tittel, **M. Erdelyi**, G. Szabo, Zs. Bor, J. R. Cavallaro, and M. C. Smayling. High resolution microlithography applications of deep-UV excimer lasers. In D. R. Hall and H. J. Baker, editors, *XI International Symposium on Gas Flow and Chemical Lasers and High-Power Conference*, volume 3092 of *SPIE Preceedings*, pages 462–466, 1996.
- [75] **M. Erdelyi**, Z. L. Horvath, Zs. Bor, G. Szabo, J. R. Cavallaro, M. C. Smayling, and F. K. Tittel. Optical microlithography with nearly nondiffracting beams. In G. E. Fuller, editor, *Optical Microlithography X*, volume 3051 of *SPIE Preceedings*, pages 959–966, 1997.
- [76] Z. L. Horvath, **M. Erdelyi**, G. Szabo, Zs. Bor, F. K. Tittel, and J. R. Cavallaro. Generation of zero order Bessel beams with Fabry-Perot interferometer. In

- A. Carabelas, P. Di Lazzaro, A. Torre, and G. Baldacchini, editors, *International Conference on New Laser Technologies and Applications*, volume 3423 of *SPIE Preceedings*, pages 135–139, 1997.
- [77] G. Indebetouw. Self-imaging through a Fabry-Perot interferometer. *Optica Acta*, 30(10):1463–1471, 1983.
 - [78] Zoltan Horvath. *Focusing of Femtosecond Light Pulses*. PhD thesis, Szeged University, 1997.
 - [79] A. Kroyan, W. L. Wilson, M. C. Smayling, F. K. Tittel, and **M. Erdelyi**. Coherent multiple imaging technique for optical microlithography. *Submitted to Applied Optics*.
 - [80] **M. Erdelyi**, Zs. Bor, W. L. Wilson, M. C. Smayling, and F. K. Tittel. Simulation of coherent multiple imaging by means of pupil plane filtering in optical microlithography. *J. Opt. Soc. Am. A*, 16(8):1909–1914, 1999.
 - [81] **M. Erdelyi**, A. Kroyan, Zs. Bor, W. L. Wilson, M. C. Smayling, and F. K. Tittel. Coherent multiple imaging by means of pupil plane filtering. In Luc van den Hove, editor, *Optical Microlithography XII*, volume 3679 of *SPIE Preceedings*, 1999.
 - [82] **M. Erdelyi**, K. Osvay, Zs. Bor, W. L. Wilson, M. C. Smayling, and F. K. Tittel. Enhanced microlithography using coherent multiple imaging. In C. A. Mack and T. Stevenson, editors, *The International Symposium on Microelectronics Manufacturing Technologies (Lithography for Semiconductor Manufacturing)*, volume 3741 of *SPIE Preceedings, Europto series*, pages 180–188, 1999.
 - [83] G. Indebetouw. Tunable spatial filtering with a Fabry-Perot etalon. *Appl. Opt.*, 19(5):761–764, 1980.
 - [84] G. Indebetouw and S. K. Case. Fabry-Perot filters used for optical preprocessing. *Appl. Opt.*, 20(9):1715–1718, 1981.
 - [85] G. Indebetouw. Unfocused optical correlator, Part 2: Fabry-Perot prefiltering. *Optik*, 59(4):287–302, 1981.
 - [86] F. T. S. Yu and X. Yang. *Introduction to Optical Engineering*. Cambridge University Press, 1997.
 - [87] B. Packcross, R. Eschbach, and O. Bryngdahl. Image synthesis using self imaging. *Opt. Communications*, 56(6):394–398, 1986.

- [88] A. Maripov and Y. Ismanov. The Talbot effect (a self-imaging phenomenon) in holography. *J. Optics*, 25(1):3–8, 1994.
- [89] **M. Erdelyi**, Zs. Bor, W. L. Wilson, M. C. Smayling, and F. K. Tittel. Enhanced Optical Microlithography Using a Fabry-Perot Based Spatial Filtering Technique. *submitted to Appl. Opt.*