

DR. BERKESI OTTÓ PUBLIKÁCIÓI AZ MTMT ADATBÁZIS ALAPJÁN

Mentési dátum: 2021. március 29.

- [1] Á. Buckó, Z. Kása, M. Szabados, B. Kutus, O. Berkesi, Z. Kónya, Á. Kukovecz, P. Sipos, and I. Pálinkó, “The structure and thermal properties of solid ternary compounds forming with Ca^{2+} , Al^{3+} and heptagluconate ions,” *MOLECULES*, vol. 25, no. 20, 2020.
- [2] B. Kondoros, O. Jójártné Laczkovich, O. Berkesi, and Z. Aigner, “Analytical investigation of cyclodextrin complexation using the co-grinding technique in the case of terbinafine hydrochloride,” in *Proceedings of The 1st International Electronic Conference on Pharmaceutics*, 2020, pp. 8714–8720.
- [3] B. Kondoros, O. Laczkovich, O. Berkesi, and Z. Aigner, “Analytical investigation of organic solvent-free co-grinding technique in terbinafine hydrochloride cyclodextrin complexation,” *ACTA PHARMACEUTICA HUNGARICA*, vol. 90, no. 2–3, pp. 93–94, 2020.
- [4] M. Varga, O. Berkesi, Z. Darula, N. May, and A. Palagyí, “Structural characterization of allomelanin from black oat,” *PHYTOCHEMISTRY*, vol. 130, pp. 313–320, 2016.
- [5] K. Csankó, K. Ruusuvuori, B. Tolnai, P. Sipos, O. Berkesi, and I. Palinkó, “Structural features of pyridylcinnamic acid dimers and their extended hydrogen-bonded aggregations,” *JOURNAL OF MOLECULAR STRUCTURE*, vol. 1090, pp. 25–33, 2015.
- [6] É. Bajnóczi, E. Czeglédi, E. Kuzmann, Z. Homonnay, S. Bálint, G. Dombi, P. Forgo, O. Berkesi, I. Palinkó, G. Peintler, P. Sipos, and I. Persson, “Speciation and structure of tin(II) in hyper-alkaline aqueous solution,” *DALTON TRANSACTIONS*, vol. 43, no. 48, pp. 17971–17979, 2014.
- [7] B. Bíborka, S. Gábor, B. Ottó, H. Dezső, and T. Ágota, “Self-organization of calcium oxalate by flow-driven precipitation,” *CHEMICAL COMMUNICATIONS*, vol. 50, no. 33, pp. 4289–4291, 2014.
- [8] B. Endrődi, A. Kormányos, C. Janáky, O. Berkesi, and C. Visy, “Fixation of laccase enzyme into polypyrrole, assisted by chemical interaction with modified magnetite nanoparticles: A facile route to synthesize stable electroactive bionanocomposite catalysts,” *ELECTROCHIMICA ACTA*, vol. 122, pp. 282–288, 2014.
- [9] G. Varga, Z. Csendes, G. Peintler, O. Berkesi, P. Sipos, and I. Palinkó, “Using low-frequency IR spectra for the unambiguous identification of metal ion–ligand coordination sites in purpose-built complexes,” *SPECTROCHIMICA ACTA PART A-MOLECULAR AND BIOMOLECULAR SPECTROSCOPY*, vol. 122, pp. 257–259, 2014.

- [10] E. Czeglédi, É. Bajnóczi, G. Peintler, O. Berkesi, E. Kuzmann, I. Palinko, and P. Sipos, “Ón(II)-hidroxo komplexek tömény lúgos vizes oldatokban (Tin-hydroxo complexes in concentrated aqueous solutions),” in XXXVI. Kémiai Előadói Napok, 2013, pp. 227–230.
- [11] E. Czeglédi, É. Bajnóczi, O. Gyulai, I. Palinko, G. Peintler, O. Berkesi, E. Kuzmann, Z. Homonnay, and P. Sipos, “The structure of tin(II) in strongly alkaline aqueous solutions,” in Recent Developments in Coordination, Bioinorganic and Applied Inorganic Chemistry, 2013, pp. 14–19.
- [12] D. Hegyesi, T. Sovány, O. Berkesi, K. Pintye-Hódi, and G. jr Regdon, “Study of the effect of plasticizer on the structure and surface characteristics of ethylcellulose free films with FT-IR spectroscopy,” *MICROCHEMICAL JOURNAL*, vol. 110, pp. 36–39, 2013.
- [13] K. Nagy, G. Biro, O. Berkesi, D. Benczedi, L. Ouali, and I. Dekany, “Intercalation of lecithins for preparation of layered nanohybrid materials and adsorption of limonene,” *APPLIED CLAY SCIENCE*, vol. 72, pp. 155–162, 2013.
- [14] P. Berki, Z. Németh, B. Réti, O. Berkesi, A. Magrez, V. Aroutiounian, L Forró, K. Hernádi, “Preparation and characterization of multiwalled carbon nanotube/In₂O₃ composites,” *CARBON*, vol. 60, pp. 266–272, 2013.
- [15] G. Varga, Z. Csendes, G. Peintler, O. Berkesi, P. Sipos, and I. Palinko, “Using far IR spectra for the unambiguous identification of metal ion-ligand coordination sites in purpose-built complexes,” in Recent Developments in Coordination, Bioinorganic and Applied Inorganic Chemistry, 2013, pp. 429–433.
- [16] Z. Aigner, O. Berkesi, G. Farkas, and P. Szabo-Revesz, “DSC, X-ray and FTIR studies of a gemfibrozil/dimethyl-beta-cyclodextrin inclusion complex produced by co-grinding,” *JOURNAL OF PHARMACEUTICAL AND BIOMEDICAL ANALYSIS*, vol. 57, pp. 62–67, 2012.
- [17] K. Balazsik, G. Szollosi, O. Berkesi, G. Szalontai, F. Fulop, and M. Bartok, “Heterogeneous Asymmetric Hydrogenation of N-Heterocyclic Compounds: Hydrogenation of Tetrahydroisoquinoline Derivatives,” *TOPICS IN CATALYSIS*, vol. 55, no. 11–13, pp. 880–888, 2012.
- [18] E. Csizmazia, G. Erős, O. Berkesi, S. Berkó, P. Szabó-Révész, and E. Csányi, “Ibuprofen penetration enhance by sucrose ester examined by ATR-FTIR *in vivo*,” *PHARMACEUTICAL DEVELOPMENT AND TECHNOLOGY*, vol. 17, no. 1, pp. 125–128, 2012.
- [19] E. Preklet, G. Papp, B. E. L. Tolvaj, O. Berkesi, J. Bohus, and S. Szatmári, “Changes in DRIFT spectra of wood irradiated by lasers of different wavelength,” *JOURNAL OF PHOTOCHEMISTRY AND PHOTOBIOLOGY B-BIOLOGY*, vol. 112, pp. 43–47, 2012.

- [20] P.S. Tóth, C. Janáky, O. Berkesi, T. Tamm, C. Visy, “On the Unexpected Cation Exchange Behavior, Caused by Covalent Bond Formation between PEDOT and Cl⁻ Ions: Extending the Conception for the Polymer-Dopant Interactions,” *JOURNAL OF PHYSICAL CHEMISTRY B*, vol. 116, no. 18, pp. 5491–5500, 2012.
- [21] Z. Aigner, R. Heinrich, E. Sipos, G. Farkas, A. Ciurba, O. Berkesi, and P. Szabó-Revesz, “Compatibility studies of aceclofenac with retard tablet excipients by means of thermal and FT-IR spectroscopic methods,” *JOURNAL OF THERMAL ANALYSIS AND CALORIMETRY*, vol. 104, no. 1, pp. 265–271, 2011.
- [22] E. Csizmazia, G. Erős, O. Berkesi, S. Berkó, P. Szabó-Révész, and E. Csányi, “Penetration enhancer effect of sucrose laurate and Transcutol on ibuprofen,” *JOURNAL OF DRUG DELIVERY SCIENCE AND TECHNOLOGY*, vol. 21, no. 5, pp. 411–415, 2011.
- [23] E. Csizmazia, G. Erős, O. Berkesi, S. Berkó, and E. Csányi, “Hatóanyagok bőrön keresztüli penetrációjának vizsgálati lehetőségei III., FT-IR alkalmazása,” in XVI. Gyógyszertechnológiai és VIII. Gyógyszer az Ezredfordulón Konferencia, 2010, pp. 26–27.
- [24] C. Janáky, B. Endrődi, O. Berkesi, and C. Visy, “Visible-Light-Enhanced Electrocatalytic Activity of a Polypyrrole/Magnetite Hybrid Electrode toward the Reduction of Dissolved Dioxygen,” *JOURNAL OF PHYSICAL CHEMISTRY C*, vol. 114, no. 45, pp. 19338–19344, 2010.
- [25] S. Ötvös, O. Berkesi, T. Körtvélyesi, and I. Pálinkó, “Synthesis and spectroscopic and computational characterization of Zn₄O(alycyclic or aromatic carboxylate)₆ complexes as potential MOF precursors,” *INORGANIC CHEMISTRY*, vol. 49, no. 10, pp. 4620–4625, 2010.
- [26] Á. Nacsá, O. Berkesi, P. Szabó-Révész, Z. Aigner, “Achievement of pH-independence of poorly-soluble, ionizable loratadine by inclusion complex formation with dimethyl-β-cyclodextrin,” *JOURNAL OF INCLUSION PHENOMENA AND MACROCYCLIC CHEMISTRY*, vol. 64, no. 3–4, pp. 249–254, 2009.
- [27] J. Bajdik, Z. Makai, O. Berkesi, K. Süvegh, T. Marek, I. Erős, and K. Pintye-Hódi, “Study of the effect of lactose on the structure of sodium alginate films,” *CARBOHYDRATE POLYMERS*, vol. 77, no. 3, pp. 530–535, 2009.
- [28] T. Csákó, O. Berkesi, I. Kovács, G. Radnócz, and T. Szörényi, “Si-doped carbon nanostructured films by pulsed laser deposition from a liquid target,” *SOLID STATE SCIENCES*, vol. 11, no. 10, pp. 1783–1787, 2009.
- [29] C. Janáky, C. Visy, O. Berkesi, and E. Tombácz, “Conducting Polymer-Based Electrode with Magnetic Behavior: Electrochemical Synthesis of Poly(3-thiophene-acetic-acid)/Magnetite Nanocomposite Thin Layers,” *JOURNAL OF PHYSICAL CHEMISTRY C*, vol. 113, no. 4, pp. 1352–1358, 2009.

- [30] L. Kocsis, J. Mink, F. Jalilehvand, L.J. Laffin, O. Berkesi, L. Hajba, “Vibrational spectroscopic study of the hydrated platinum(II), palladium(II) and cis-diammineplatinum(II) ions in acidic aqueous solutions,” *JOURNAL OF RAMAN SPECTROSCOPY*, vol. 40, no. 5, pp. 481–490, 2009.
- [31] Szilagy, O. Berkesi, M. Sipiczki, L. Korecz, A. Rockenbauer, and I. Palinko, “Preparation, characterization and catalytic activities of immobilized enzyme mimics,” *CATALYSIS LETTERS*, vol. 127, pp. 239–247, 2009.
- [32] A. Nacsá, R. Ambrus, O. Berkesi, P. Szabó-Révész, and Z. Aigner, “Water-soluble loratadine inclusion complex: analytical control of the preparation by microwave irradiation,” *JOURNAL OF PHARMACEUTICAL AND BIOMEDICAL ANALYSIS*, vol. 48, no. 3, pp. 1020–1023, 2008.
- [33] P. Sipos, T. Megyes, and O. Berkesi, “The structure of gallium in strongly alkaline, highly concentrated gallate solutions - a Raman and $(^{71}\text{Ga})\text{-NMR}$ spectroscopic study,” *JOURNAL OF SOLUTION CHEMISTRY*, vol. 37, no. 10, pp. 1411–1418, 2008.
- [34] J. Bajdik, G. Lebák, O. Berkesi, P. Szabó-Révész, and K. Pintye-Hódi, “Study of the effect of stirring on foam formation from various aqueous acrylic dispersion,” *DRUG DEVELOPMENT AND INDUSTRIAL PHARMACY*, vol. 33, pp. 141–146, 2007.
- [35] O. Berkesi, P. Berenji, I. Dreveni, T. Kortvelyesi, J. Andor, J. Mink, and P. Goggin, “Influence of the alkyl-chain on the symmetry and structural changes of $\text{Zn}_4\text{O}(\text{RCO}_2)_6$ complexes in film phase - An FT-IR study,” *VIBRATIONAL SPECTROSCOPY*, vol. 43, no. 1, pp. 227–236, 2007.
- [36] E. Pinter, Z. Fekete, O. Berkesi, P. Makra, A. Patzko, and C. Visy, “Characterization of Poly(3-octylthiophene)/Silver nanocomposites prepared by solution doping,” *JOURNAL OF PHYSICAL CHEMISTRY C*, vol. 111, no. 32, pp. 11872–11878, 2007.
- [37] P. Sipos, O. Berkesi, E. Tombácz, H. Katona, and R. Madácsi, “The Nature of Interactions between Iron(III) and the Structure of the Fe(III)-Chitosan ‘Complex’,” *ACTA PHARMACEUTICA HUNGARICA*, vol. 77, no. 3, pp. 165–175, 2007.
- [38] R. Ambrus, Z. Aigner, O. Berkesi, C. Soica, and P. Szabo-Revesz, “Determination of the structural interaction of niflumic acid-PVP solid dispersions,” *REVISTA DE CHIMIE*, vol. 57, no. 10, pp. 1051–1054, 2006.
- [39] J. Bajdik, G. Regdon, G. Lebak, O. Berkesi, and K. Pintye-Hodi, “Effect of stirring on film formation from a Eudragit RS aqueous dispersion,” *POLYMERS FOR ADVANCED TECHNOLOGIES*, vol. 17, no. 9–10, pp. 814–817, 2006.
- [40] G. Kecskemeti, T. Smausz, N. Kresz, Z. Toth, B. Hopp, D. Chrisey, and O. Berkesi, “Pulsed Laser Deposition of Polyhydroxybutyrate Biodegradable Polymer Thin Films Using Arf Excimer Laser,” *APPLIED SURFACE SCIENCE*, vol. 253, no. 3, pp. 1185–1189, 2006.

- [41] I. Képíró, K. Osvay, and O. Berkesi, “Correction of small imperfections on white glazed china surfaces by laser radiation.” p. H/P1.34, 2006.
- [42] K. Osvay, I. Képíró, and O. Berkesi, “Laser treatment of white china surfaces,” *APPLIED SURFACE SCIENCE*, vol. 252, no. 13, pp. 4516–4522, 2006.
- [43] T. Szabo, O. Berkesi, P. Forgo, K. Josepovits, Y. Sanakis, D. Petridis, and I. Dekany, “Evolution of Surface Functional Groups in a Series of Progressively Oxidized Graphite Oxides,” *CHEMISTRY OF MATERIALS*, vol. 18, no. 11, pp. 2740–2749, 2006.
- [44] Z. Aigner, H. Hassan, O. Berkesi, M. Kata, and I. Eros, “Thermoanalytical, FTIR and X-ray studies of gemfibrozil-cyclodextrin complexes,” *JOURNAL OF THERMAL ANALYSIS AND CALORIMETRY*, vol. 81, no. 2, pp. 267–272, 2005.
- [45] E. Barta, G. Papp, E. Preklet, L. Tolvaj, O. Berkesi, T. Nagy, and S. Szatmári, “Changes in the DRIFT spectra of softwood materials irradiated by UV-laser as a function of energy [UV-lézerrel besugárzott fenyő faanyag DRIFT spektrumának változása az energia függvényében],” *ACTA SILVATICA ET LIGNARIA HUNGARICA: AN INTERNATIONAL JOURNAL IN FOREST, WOOD AND ENVIRONMENTAL SCIENCES*, vol. 1, no. 1, pp. 83–91, 2005.
- [46] O. Berkesi, T. Szabo, B. Korbely, K. Hernadi, and I. Palinko, “Covalent grafting of Cu(II)-histidine complexes on polystyrene resin studied by photoacoustic infrared spectroscopy,” in *Forum Acusticum 2005*, 2005, pp. 1459–1463.
- [47] K. Mitsui, L. Tolvaj, G. Papp, J. Bohus, S. Szatmari, and O. Berkesi, “Changes in the properties of light-irradiated wood with heat treatment - Application of laser.,” *WOOD RESEARCH*, vol. 50, no. 1, pp. 1–8, 2005.
- [48] G. Papp, E. Barta, E. Preklet, L. Tolvaj, O. Berkesi, T. Nagy, and S. Szatmari, “Changes in DRIFT spectra of wood irradiated by UV laser as a function of energy,” *JOURNAL OF PHOTOCHEMISTRY AND PHOTOBIOLOGY A-CHEMISTRY*, vol. 173, no. 2, pp. 137–142, 2005.
- [49] T. Szabó, O. Berkesi, and I. Dékány, “DRIFT study of deuterium-exchanged graphite oxyde,” *CARBON*, vol. 43, no. 15, pp. 3186–3189, 2005.
- [50] G. Papp, E. Preklet, B. Kosikova, E. Barta, L. Tolvaj, J. Bohus, S. Szatmari, and O. Berkesi, “Effect of UV laser radiation with different wavelengths on the spectrum of lignin extracted from hard wood materials,” *JOURNAL OF PHOTOCHEMISTRY AND PHOTOBIOLOGY A-CHEMISTRY*, vol. 163, no. 1–2, pp. 187–192, 2004.
- [51] F. Taneri, T. Guneri, Z. Aigner, O. Berkesi, and M. Kata, “Thermoanalytical studies on complexes of clotrimazole with cyclodextrins,” *JOURNAL OF THERMAL ANALYSIS AND CALORIMETRY*, vol. 76, no. 2, pp. 471–479, 2004.

- [52] O. Berkesi, T. Kortvelyesi, C. Hetenyi, T. Nemeth, and I. Palinko, “Hydrogen bonding interactions of benzylidene type Schiff bases studied by vibrational spectroscopic and computational methods,” *PHYSICAL CHEMISTRY CHEMICAL PHYSICS*, vol. 5, no. 10, pp. 2009–2014, 2003.
- [53] K. Mitsui, L. Tolvaj, G. Papp, J. Bohus, S. Szatmári, and O. Berkesi, “Application of laser to coloration of wood,” in *The 16th International Wood Mashining Seminar*, 2003, pp. 772–776.
- [54] K. Mitsui, L. Tolvaj, G. Papp, J. Bohus, S. Szatmári, and O. Berkesi, “Change in the properties of wood with light and heat (IX). Light-irradiation with excimer lasers,” in *The 53rd Annual Meeting of the Japan Wood Research Society*, 2003, p. 567.
- [55] P. Sipos and O. Berkesi, “Application of FTIR spectroscopy for the characterization of chitosan and its ferric complexes,” in *Progress in coordination and bioinorganic chemistry*, 2003, pp. 381–386.
- [56] P. Sipos, O. Berkesi, E. Tombacz, P. T. St, and J. Webb, “Formation of spherical iron(III) oxyhydroxide nanoparticles sterically stabilized by chitosan in aqueous solutions,” *JOURNAL OF INORGANIC BIOCHEMISTRY*, vol. 95, no. 1, pp. 55–63, 2003.
- [57] Á. Szucs, V. Budavari, O. Berkesi, and M. Novak, “Electrochemical hydrogenation of C-60 fullerene films,” *JOURNAL OF ELECTROANALYTICAL CHEMISTRY*, vol. 548, pp. 131–137, 2003.
- [58] F. Taneri, T. Guneri, Z. Aigner, O. Berkesi, and M. Kata, “Thermoanalytical studies on complexes of ketoconazole with cyclodextrin derivatives,” *JOURNAL OF THERMAL ANALYSIS AND CALORIMETRY*, vol. 74, no. 3, pp. 769–777, 2003.
- [59] O. Berkesi, T. Kortvelyesi, C. Nemeth, and I. Palinko, “Hydrogen bonding interactions of a benzylidene type Schiff base in the solid state,” in *Proceedings of XVIIIth International Conference on Raman Spectroscopy*, 2002, pp. 525–526.
- [60] K. István, G. Keresztury, O. Berkesi, and T. Sundius, “Vibrational spectra and force field of acetate ion - difficulties encountered with the SQM approach,” in *Proceedings of XVIIIth International Conference on Raman Spectroscopy*, 2002, pp. 113–114.
- [61] I. Fejer, M. Kata, I. Eros, O. Berkesi, and I. Dekany, “Release of cationic drugs from loaded clay minerals,” *COLLOID AND POLYMER SCIENCE*, vol. 279, no. 12, pp. 1177–1182, 2001.
- [62] G. Papp, E. Barta, L. Tolvaj, T. Nagy, S. Szatmári, and O. Berkesi, “Wood degradation caused by KrF UV-laser,” *TECHNOLOGY LETTERS*, vol. 5, no. 1, pp. 1–6, 2001.
- [63] I. Pócsik, M. Koós, and O. Berkesi, The consequences of decreasing particle size on the Raman spectroscopy of carbons. In: *Nanostructured Carbon for Advanced Applications*, Ed. by G. Benedek, P. Milani and VG. Ralchenko; *NATO Science Series II*. Vol. 24. New York (NY): Kluwer Academic Publishers, 2001.

- [64] E. Krivan, C. Visy, R. Dobay, G. Harsanyi, and O. Berkesi, “Irregular response of the polypyrrole films to H₂S,” *ELECTROANALYSIS*, vol. 12, pp. 1195–1200, 2000.
- [65] E. Barta, L. Tolvaj, T. Nagy, S. Szatmari, O. Berkesi, and G. Papp, “Photodegradation of leaf-woods caused by 248.5 nm laser,” *DREVARSKY VYSKUM*, vol. 44, no. 1, pp. 13–19, 1999.
- [66] E. Barta, L. Tolvaj, T. Nagy, S. Szatmári, O. Berkesi, and G. Papp, “Hardwood degradation caused by 248.5 nm UV laser,” in *Wood Structure and Properties ’98 Conference*, 1998, pp. 59–60.
- [67] E. Barta, L. Tolvaj, G. Papp, T. Nagy, S. Szatmari, and O. Berkesi, “Wood degradation caused by UV-laser of 248 nm wavelength,” *EUROPEAN JOURNAL OF WOOD AND WOOD PRODUCTS*, vol. 56, no. 5, pp. 318–318, 1998.
- [68] T. Pernyeszi, A. Patzko, O. Berkesi, and I. Dekany, “Asphaltene adsorption on clays and crude oil reservoir rocks,” *COLLOIDS AND SURFACES A : PHYSICOCHEMICAL AND ENGINEERING ASPECTS*, vol. 137, pp. 373–384, 1998.
- [69] I. Pócsik, M. Hundhausen, M. Koós, O. Berkesi, and L. Ley, “Resonance Raman Phenomena in Raman Spectroscopy of Graphite,” in *Proceedings of the Sixteenth International Conference on Raman Spectroscopy*, 1998, pp. 64–65.
- [70] Pócsik, M. Hundhausen, M. Koós, O. Berkesi, and L. Ley, “Resonance Raman phenomena in Raman spectroscopy of graphite,” in *Proceedings of the Sixth International Symposium on Genetics and Molecular Biology of Plant Nutrition*, 1998, pp. 64–65.
- [71] Pócsik, M. Koós, O. Berkesi, and M. Hundhausen, “Advantage of infrared excitation in Raman spectroscopy of hydrogenated amorphous carbon films,” in *Proceedings of the Sixth International Symposium on Genetics and Molecular Biology of Plant Nutrition*, 1998, pp. 66–67.
- [72] Pócsik, M. Hundhausen, M. Koós, O. Berkesi, and L. Ley, “Resonance Raman phenomena in Raman spectroscopy of graphite,” in *Science and Technology for New Carbons. Proceedings of the International Symposium on Carbon*, 1998, pp. 652–653.
- [73] L. Tolvaj, E. Barta, B. Kosikova, O. Berkesi, T. Nagy, S. Szatmári, and G. Papp, “UV-laser induced photodegradation of lignin impregnated into cellulose plate,” *ACTA FACULTATIS LIGNIENSIS*, vol. 10, pp. 51–54, 1998.
- [74] W. Herrmann, R. Kratzer, F. Blümel, H. Friedrich, R. Fischer, D. Apperly, J. Mink, and O. Berkesi, “Polymer-bound osmium oxide catalyst,” *JOURNAL OF MOLECULAR CATALYSIS A-CHEMICAL*, vol. 120, pp. 197–205, 1997.

- [75] I. Pócsik, M. Koós, S. Moustafa, J. Andor, O. Berkesi, and M. Hundhausen, “Comparative Raman Studies of Hydrogenated Amorphous Carbon Films using Infrared and Visible Laser Excitations,” *MICROCHIMICA ACTA*, vol. 14, pp. 755–756, 1997.
- [76] Dreveni, O. Berkesi, J. Andor, and J. Mink, “Influence of the spatial structure of the alkyl chain on the composition of the product of the direct neutralization reaction between aliphatic carboxylic acids and zinc hydroxide,” *INORGANICA CHIMICA ACTA*, vol. 249, no. 1, pp. 17–23, 1996.
- [77] M. Koós, I. Pócsik, and O. Berkesi, “Analysis of disordered peak in Raman spectrum of hydrogenated amorphous carbon,” in Extended abstracts of the NATO ASI on Amorphous Insulators and Semiconductors, 1996, p. 40.
- [78] S. Puskas, J. Balazs, A. Farkas, I. Regdon, O. Berkesi, and I. Dekany, “The significance of colloidal hydrocarbons in crude oil production .1. New aspects of the stability and rheological properties of water-crude oil emulsions,” *COLLOIDS AND SURFACES A : PHYSICOCHEMICAL AND ENGINEERING ASPECTS*, vol. 113, pp. 279–293, 1996.
- [79] O. BERKESI, T. KATONA, I. DREVENI, J. ANDOR, and J. MINK, “TEMPERATURE-DEPENDENT FOURIER-TRANSFORM INFRARED AND DIFFERENTIAL SCANNING CALORIMETRY STUDIES OF ZINC CARBOXYLATES,” *VIBRATIONAL SPECTROSCOPY*, vol. 8, no. 2, pp. 167–174, 1995.
- [80] O. Berkesi, I. Dreveni, J. Andor, U. Jayasoorya, R. Cannon, and J. Mink, “FTIR and FT Raman Studies on Tetranuclear oxo-Centered Carboxylate Complexes of Zinc(II),” in 9th International Conference on Fourier Transform Spectroscopy, 1993, pp. 220–221.
- [81] O. Berkesi, J. A. Andor, U. A. Jayasoorya, and R. D. Cannon, “Vibrations of Central Oxygen in High-Symmetry Tetranuclear Metal Cluster: a Definitive Assignment Using Isotopic Substitution in a Basic Zinc Carboxylate Complex.,” *SPECTROCHIMICA ACTA PART A-MOLECULAR AND BIOMOLECULAR SPECTROSCOPY*, vol. 48, no. 2, pp. 147–149, 1992.
- [82] O. Berkesi, I. Dreveni, J. Andor, and J. Mink, “FT-IR Studies on the Formation of Tetrazinc Long Straight Chain (Even Numbered C₆C₁₈)(μ₄-oxo-hexa-μ-bis(Carboxylates from the Corresponding bis (Carboxylato)zinc Compounds,” *INORGANICA CHIMICA ACTA*, vol. 195, pp. 169–173, 1992.
- [83] O. Berkesi, I. Dreveni, J. A. Andor, and P. L. Goggin, “Formation and mid-FT-IR Investigation of Short (C₂-C₅) Straight-Chain Tetrazinc μ₄-Oxo-Hexa-μ-Carboxylates,” *INORGANICA CHIMICA ACTA*, vol. 181, no. 2, pp. 285–289, 1991.

- [84] I. DREVENI, O. BERKESI, I. JANOVICS, J. ANDOR, and J. MINK, “FOURIER-TRANSFORM INFRARED SPECTROSCOPIC STUDY ON THE MOLECULAR-STRUCTURE OF BIS(BUTANOATO) ZINC(II) AND MU-4-OXOHEXA-MU-BUTANOATOTETRAZINC(II) COMPLEXES,” VIBRATIONAL SPECTROSCOPY, vol. 2, no. 4, pp. 205–209, 1991.
- [85] J. A. Andor, I. Dreveni, and O. Berkesi, “Special properties of chemical reactions performed in dynamic emulsions,” MAGYAR KÉMIKUSOK LAPJA, vol. 40, pp. 252–257, 1985.
- [86] J. A. Andor, I. Dreveni, and O. Berkesi, “Relationship Between the Structure and the Vibrational Spectra of Metal Carboxylates I. Review of Fundamental Problems,” ACTA PHYSICA ET CHEMICA, vol. 31, pp. 771–783, 1985.
- [87] O. Berkesi and J. A. Andor, “Synthesis, Structure and Properties of Metal Carboxylates I. Effects of Experimental Conditions on the IR Spectra of Compounds Formed in Ni(II)-bis-(2-Ethylhexanoate) Production,” ACTA PHYSICA ET CHEMICA, vol. 29, pp. 79–87, 1983.
- [88] I. Dreveni, O. Berkesi, and J. A. Andor, “Synthesis, Structure and Properties of Metal Carboxylates II. Effects of Different Factors on the IR Spectra of bis-(2-Ethylhexanoate)Co(II),” ACTA PHYSICA ET CHEMICA, vol. 29, pp. 211–217, 1983.
- [89] J. A. Andor, I. Dreveni, O. Berkesi, and L. D. Skryllev, “Products of the Reactions Between BeCl₂ and the Potassium Salts of Saturated Fatty Acids in Aqueous Solutions II. Composition of Products and Their Thermal Properties,” ACTA PHYSICA ET CHEMICA, vol. 28, pp. 253–258, 1982.